

Tied with a Ribbon

Summer Fair Bunting Wall Hanging



Finished Size - 20in x 24in (51cm x 61cm)

¼ inch seam allowance included

Read all instructions before starting

Fabric measurements based on fabric 42in/110cm wide (WOF - Width of Fabric)

Requirements

1 Fat ¼ – FUN FAIR BUNTING 01667501B
1 Fat ¼ – EMOLLY CAROUSEL 01667502B
1 Fat ¼ – FAIRGROUND STRIPE 01667503B
1 Fat ¼ – SWIRLING KALEIDOSCOPE 01667504B
1 Fat ¼ – FESTIVAL FLORALS 01667505A
¾yd (70cm) - WILTSHIRE SHADOW PUTTY 01666506A Background Fabric
1 Fat ¼ WILTSHIRE SHADOW ROYAL BLUE 01666547A for Bias Tape
1 Fat ¼ YORK FERN APPLE LEAF 016668103A for Lettering
¼yd (25cm) WILTSHIRE SHADOW ROYAL BLUE 01666547A Binding Fabric
¾yd (70cm) Backing Fabric
28in x 32in (70cm x 80cm) Batting

½in Bias Tape Maker
Fusible Web
Thread for Applique
Rotary Cutter, ruler and mat
General sewing supplies
Sewing machine with ¼ inch and walking foot


Cutting Instructions

From the Background fabric cut:
1 – 21in x 25in rectangle.


From the Binding fabric cut:
3 – 2½in strips x WOF

Instructions

1. Cut out as per cutting instructions.
2. **To make the Bias Tape** (Bunting String)– From the Wiltshire Shadow Royal Blue Fat ¼, cut an 18in square. Cut the square on the diagonal and then take the bottom left triangle and place with the raw flat edge, on top of the top right-hand triangle with right sides together. Position the top piece so a ¼in of the bottom piece shows and it also goes past the bottom piece ¼in. This accounts for the seam allowance. Pin along the top raw edge.



Sew along the top raw edge and press seam open. On the back side of the fabric draw 1in lines as shown.



Fold around the raw diagonal edge to have the two right sides together so that the lines match up (this will make a loop). Now move one side along 1 line, so that the lines are off set (but line up) by 1 line. Pin to match up the lines and then sew along this raw edge. Press seam open.

Take your scissors and starting at the first offset line, cut along the drawn line to make one continuous strip of Bias Tape. Using the 1/2in (12mm) Bias Tape maker, press to make the folded edge Bias tape. Set aside.

3. **To make the Applique** - trace 9 large Bunting Flags from the Template Pattern Page, using a pencil onto the paper side of the Fusible Web and cut out roughly 1/4in around the edge.

Onto each of the Summer Fair Fat 1/4's, place 2 large bunting flags, for one fabric you will only place 1 bunting flag. Following the manufacturer's instructions, iron your traced shapes to the wrong side on each of the fabrics. Cut out on the pencil line. Peel off the paper.

Trace the letters for the required name from the Lettering Template pages also on to the paper side of the fusible web. Fuse onto the back side of the York Fern Apple Leaf fabric and cut out on the pencil line. Peel off paper.

4. **Arrange your shapes** – take the Background fabric rectangle, your cut Applique bunting flags, lettering and the bias tape. Lay down the background fabric onto your workspace and using the picture of the Wall Hanging arrange, the bunting flags into position. Take the bias tape and run the “string lines” of the bunting and cut to size to make the 2 string lengths required. Re-position any bunting flags as needed. Place your lettering into position. When you are happy with the positioning, fuse the bunting flags and lettering into place. Set aside the bias tape string lines to be sewn down into place later.


5. **Sew your Applique** - you can now Applique your shapes with any chosen method. You can do this on your sewing machine or by hand. I used a machine Blanket stitch in a matching coloured thread. You won't need to sew the top edge of the large bunting flags that are later covered with the bias tape.


Take your bias tape strings and re-position now over the sewn bunting flags. Pin into place and stitch the bias tape down into position with a straight stitch on your machine, just inside from the folded edge on both sides.


Trim back your wall hanging to 20in x 24in.


6. **Quilting** – centre your wall hanging over the batting. Smooth out the wall hanging and pin through the two layers. Quilt as desired.













7. **Binding** - take the binding strips and join them end-to-end. Press them in one direction. Then press the entire strip in half lengthways with wrong sides facing. Start about half of the way along one side of the wall hanging sew the binding strip to the right side of the wall hanging, mitering the corners as you go. Stop about 6in from where you started. Join the ends and cut off excess. Continue sewing the binding to the wall hanging. Trim the backing and batting, fold over the binding and slip stitch into place along the back-seam line.











1in
Test
Square

Letters have been reversed for tracing